

Material Safety Data Sheet acc. to ISO/DIS 11014

Date Prepared: 03/01/2011

Reviewed On: 02/11/2011

1 Identification of the substance/mixture and of the company/undertaking

- · Product Identifier
- · Product Name: BD SurePathTM Preservative Fluid
- · Catalog Number: 490507
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BD Diagnostics - TriPath 780 Plantation Drive Burlington, NC 27215 Telephone: (336) 290 - 8300 or 866 - TriPath (option#1)
- Information Department: Technical Service
 Emergency telephone number: (336) 290-8300 or (866) TriPath (option # 1), or ChemTrec at (800) 424-9300.

2 Composition/information on ingredients

· Chemical characterization: Mixture

• Description: Mixture consisting of the following components.

· Dangerous Components:		
64-17-5	ethanol	21.7%
67-56-1	methanol	1.2%
67-63-0	isopropanol	1.1%

3 Hazards identification

· Classification of the substance or mixture · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful R40: Limited evidence of a carcinogenic effect. *R10*: Flammable. Classification system: The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data. · Label elements · Labelling according to EU guidelines: The product has been classified and marked in accordance with regulations on hazardous materials. · Code letter and hazard designation of product: Xn Harmful · Hazard-determining components of labelling: ethanol formaldehyde · Risk phrases: 10 Flammable. 40 Limited evidence of a carcinogenic effect. · Safety phrases: 7 Keep container tightly closed. 16 Keep away from sources of ignition - No smoking. 23 Do not breathe gas/fumes/vapour/spray.

(Contd. on page 2)


USA



Date Prepared: 03/01/2011

Reviewed On: 02/11/2011

Product Name: BD SurePathTM Preservative Fluid



Material Safety Data Sheet acc. to ISO/DIS 11014

4 First aid measures

- · General information Immediately remove contaminated clothing.
- · After inhalation
- Supply fresh air and seek medical advice.
- In case of unconsciousness place patient on side position for transportation.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- · After swallowing
- Do not induce vomiting; immediately call for medical help.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor Show this product label or this MSDS.

5 Firefighting measures

· Suitable extinguishing agents

CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- *Protective equipment:* Wear fully protective suit. Wear self-contained respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Use respiratory protective device. Wear protective clothing.
Environmental precautions: Wipe up with damp sponge or mop.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

USA

(Contd. of page 2)



Material Safety Data Sheet acc. to ISO/DIS 11014

Date Prepared: 03/01/2011

Reviewed On: 02/11/2011

Product Name: BD SurePathTM Preservative Fluid

See Section 13 for disposal information.

7 Handling and storage

· Handling

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Storage

- \cdot Requirements to be met by storerooms and receptacles: 15 30 $^{\circ}C$
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed containers.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see Section 7.

\cdot Components with limit values that require monitoring at the workplace:

(1)	ponenis win unu vulues mu require monitoring u the workplace.	
	7-5 ethanol	
	1900 mg/m ³ , 1000 ppm	
REL	1900 mg/m ³ , 1000 ppm	
TLV	1880 mg/m ³ , 1000 ppm	
67-5	6-1 methanol	
PEL	260 mg/m ³ , 200 ppm	
REL	Short-term value: 325 mg/m ³ , 250 ppm	
	Long-term value: 260 mg/m ³ , 200 ppm	
	Skin	
TLV	Short-term value: 328 mg/m³, 250 ppm	
	Long-term value: 262 mg/m ³ , 200 ppm	
	Skin; BEI	
67-6	3-0 isopropanol	
PEL	980 mg/m ³ , 400 ppm	
REL	Short-term value: 1225 mg/m ³ , 500 ppm	
	Long-term value: 980 mg/m ³ , 400 ppm	
TLV	Short-term value: 984 mg/m ³ , 400 ppm	
	Long-term value: 492 mg/m ³ , 200 ppm	
	BEI	
·Add	itional information: The lists that were valid during the creation were used as basis.	
	onal Protective Equipment	
	eral protective and hygienic measures	
	p away from foodstuffs, beverages and feed.	
	ediately remove all soiled and contaminated clothing.	
	h hands before breaks and at the end of work.	
	thing equipment:	
	ase of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.	
		(Contd. on page 4)

(Contd. of page 3)



Date Prepared: 03/01/2011

Reviewed On: 02/11/2011

Product Name: BD SurePathTM Preservative Fluid

· Protection of hands:



Chemical resistant gloves (i.e. nitrile, or equivalent).

Material Safety Data Sheet acc. to ISO/DIS 11014

· Eye protection: Safety glasses

• Body protection: Protective work clothing (lab coat).

General Information	
Appearance:	
Form:	Liquid
Color:	Clear
	Colorless
Odor:	Alcohol-like
<i>pH-value at 20</i> • <i>C</i> (68 • <i>F</i>):	7.2
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	86°C (187 °F)
Flash point:	35°C (95 °F)
Ignition temperature:	425.0°C (797 °F)
Auto igniting:	Product is not self igniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixture are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
Vapor pressure at 20°C (68 °F).	: 59.0 hPa (44 mm Hg)
Density:	Not determined
Solubility in / Miscibility with	
Water:	Soluble
Solvent content:	
Organic solvents:	24.2 %
Water:	74.7 %
Solids content:	0.9 %

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Incompatible materials: Incompatible material: strong oxidizers.

(Contd. on page 5)

USA

(Contd. of page 4)



Material Safety Data Sheet acc. to ISO/DIS 11014

Date Prepared: 03/01/2011

Reviewed On: 02/11/2011

Product Name: BD SurePathTM Preservative Fluid

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

64-17-5 ethanol

Oral LD50 3450 mg/kg (MOU)

7060 mg/kg (rat)

- · Primary irritant effect:
- \cdot on the skin: No irritating effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Subacute to chronic toxicity:
- Target organs: thyroid, kidney, ureter or bladder tumors.
- Target organ: liver
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

12 Ecological information

- Acquatic toxicity: This material is not expected to be toxic to aquatic life.
- · Ecotoxical effects:
- Other information: The ecological effects have not been thoroughly investigated, but currently none have been identified.
- · Additional ecological information:
- General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.

13 Disposal considerations

- Waste treatment methods
- *Recommendation Must not be disposed of with solid waste.*

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements. RCRA hazardous waste - RCRA # D001 (ignitable).

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to state and federal regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· DOT regulations:

· Hazard class:

(Contd. on page 6)



Material Safety Data Sheet acc. to ISO/DIS 11014

Date Prepared: 03/01/2011

Reviewed On: 02/11/2011

Product Name: BD SurePathTM Preservative Fluid

	(Contd. of page 5
· Remarks:	$49CFR\ 173.150(e)(2)$ - States that aqueous solution of alcohol containing 24 percent or less alcohol by volume and no other hazardous material can be re-class as a combustible liquid and is not subject to the requirements.
· Land transport AL	DR/RID (cross-border)
· ADR/RID class:	-
· Maritime transpor	t IMDG:
· IMDG Class:	-
• Marine pollutant:	No
· Remarks:	IMDG Special Provision 144 - An aqueous solution containing not more than 24% alcoho by volume is not subject to the provisions of this code.
· Air transport ICA	O-TI and IATA-DGR:
· ICAO/IATA Class	
· Remarks:	IATA Special Provision A58 - Aqueous solutions containing 24% or less alcohol by volume is not subject to these regulations.

• *Transport/Additional information:* 49 CFR §173.150 Exceptions For Class 3 (Flammable) and Combustible Liquids being used.

· SAKA Sec	ction 355 (extremely hazardous substances)
None of th	ne ingredients is listed.
· SARA Sec	ction 313 (specific toxic chemical listings)
64-17-5 e	thanol
67-56-1 n	nethanol
67-63-0 i	sopropanol
· TSCA (To	oxic Substances Control Act)
7732-18-5	i water
64-17-5	5 ethanol
67-56-1	methanol
	o isopropanol
7647-14-5	sodium chloride
7758-11-4	t potassium phosphate, dibasic
50-00-0) formaldehyde
Formalde poses a ca	a Proposition 65 - Chemicals known to cause cancer hyde is toxic, allergenic, and is known to the state of California to cause cancer. Note: Formaldehyd uncer threat through inhalation of the gas or vapor. formaldehyde
	a Proposition 65 - Chemicals known to cause reproductive toxicity for females:
· California	
	ne ingredients is listed.
None of th	ne ingredients is listed. 1 Proposition 65 - Chemicals known to cause reproductive toxicity for males:
None of th	
None of the California None of the None	a Proposition 65 - Chemicals known to cause reproductive toxicity for males:

USA



Material Safety Data Sheet acc. to ISO/DIS 11014

Date Prepared: 03/01/2011

Reviewed On: 02/11/2011

Product Name: BD SurePath[™] Preservative Fluid

(Contd. of page 6)

NTP (National Toxicology Program)	
50-00-0 formaldehyde	
TLV (Threshold Limit Value established by ACGIH)	
64-17-5 ethanol	A4
67-63-0 isopropanol	A4

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

 Department issuing MSDS: Environmental, Health & Safety Created by Michael J. Spinazzola
 Contact: Technical Service Representative

USA