

# Antibiotic Susceptibilities by Percentage

July 2012 - June 2013

05001 OSU HOSPITAL



# RML

REGIONAL MEDICAL LABORATORY

## NON-URINE

NOTE: Ceftriaxone and Penicillin G for S pneumo is reported separately. See next table.

	A BAUMAN	E CLOACA	E COLI	ENTEROCO	K PNEUMO	P MIRAB	PS AER	S AUREUS R	S AUREUS S	S PNEUMO
Total Isolates:	81	72	148	307	59	74	191	329	359	65
AMOXICILLN										100%
AMPICILLN			41%	87%		65%				
AUGMENTN			82%		92%	96%				
AZTRENM		89%	95%		97%	99%	68%			
CEFAZOLN			80%		86%	80%			100%	
CEFEPIME	29%	97%	95%		95%	100%	85%			
CEFTAZIDM	32%	89%	93%		95%	100%	87%			
CEFTRIAXON	7%	88%	94%		95%	100%				
CEFUROXIME			88%		88%	95%				
CIPROFLOXN	23%	93%	58%		95%	51%	58%			
CLINDAMYCN								54%	80%	79%
COLISTN	98%									
DAPTOMYCIN				100%				100%	100%	
DORIPENEM	3%									
ERYTHRMYCN				11%				12%	66%	63%
GENTAMICN	38%	99%	80%		97%	74%	91%	93%	99%	
GENT SYN				68%						
IMIPENM	41%	100%	99%		100%		78%			
LEVOFLX	25%	96%	60%		95%	58%	57%	24%	83%	98%
LINEZOLID				96%				100%	100%	
MEROPENM	38%	100%	100%		100%	100%	85%			
MINOCYCLN								95%	98%	
MOXIFLOX								82%	95%	100%
OXACILN									100%	
PENICLN G				88%					3%	
PIPTAZO		88%	95%		93%	99%	92%			
RIFAMPN								99%	100%	
TETRACYLI								91%	93%	78%
TIGECILN	4%									
TRIMETH/SU	31%	92%	60%		92%	65%		91%	94%	69%
UNASYN	7%									
VANCOMYCN				87%				100%	100%	100%

## URINE

	E COLI	ENTEROCO	K PNEUMO	P MIRAB	PS AER
Total Isolates:	873	93	99	59	50
AMPICILLN	48%	71%		63%	
AUGMENTN	85%		93%	91%	
AZTRENM	97%		96%	98%	52%
CEFAZOLN	89%		91%	80%	
CEFEPIME	97%		96%	98%	78%
CEFTAZIDM	97%		95%	98%	84%
CEFTRIAXON	96%		95%	98%	
CEFUROXIME	93%		91%	93%	
CIPROFLOXN	82%		94%	64%	46%
DAPTOMYCIN		99%			
GENTAMICN	91%		97%	78%	80%
IMIPENM	100%		100%		70%
LEVOFLX	83%	39%	98%	64%	46%
LINEZOLID		90%			
MEROPENM	100%		100%	100%	76%
MINOCYCLN		27%			
NITROFURAN	98%	97%	35%		
PIPTAZO	97%		92%	98%	100%
TETRACYLI	76%	20%	83%		
TRIMETH/SU	71%		89%	66%	
VANCOMYCN		76%			

	S PNEUMO	
	MENINGITIS	NON-MENINGITIS
CEFTRIAXON	67%	95%
PENICLN G	56%	98%

Note:  
 Penicillin meningitis MIC breakpoint is  $\leq 0.06$ , nonmeningitis  $\leq 2$   
 Penicillin meningitis breakpoint is equivalent to oral Penicillin V breakpoint  
 Ceftriaxone meningitis MIC breakpoint is  $\leq 0.5$ , non meningitis  $\leq 1$   
 Based on M100-S19 CLSI Performance Standards 2009.