

Antibiotic Susceptibilities by Percentage

July 2013 - June 2014



06213 ST JOHN BROKEN ARROW

NON-URINE

| | S AUREUS R | S AUREUS S |
|-----------------|------------|------------|
| Total Isolates: | 67 | 65 |
| CEFAZOLN | | 100% |
| CLINDAMYCN | 82% | 91% |
| DAPTOMYCIN | 100% | 100% |
| ERYTHROMYCIN | 4% | 72% |
| GENTAMICIN | 100% | 98% |
| LEVOFLOX | 40% | 89% |
| LINEZOLID | 100% | 100% |
| MINOCYCLIN | 100% | 98% |
| MOXIFLOX | 100% | 100% |
| OXACILIN | | 100% |
| RIFAMPIN | 100% | 100% |
| TRIMETH/SU | 97% | 97% |
| VANCOMYCIN | 100% | 100% |

URINE

| | E COLI | ENTEROCO | K PNEUMO |
|-----------------|--------|----------|----------|
| Total Isolates: | 476 | 36 | 66 |
| AMPICILLIN | 55% | 83% | |
| AUGMENTIN | 87% | | 98% |
| AZTRENAM | 96% | | 100% |
| CEFAZOLIN | 89% | | 98% |
| CEFEPIME | 96% | | 100% |
| CEFTAZIDIM | 96% | | 100% |
| CEFTRIAXON | 96% | | 100% |
| CEFUROXIME | 93% | | 95% |
| CIPROFLOXIN | 80% | | 98% |
| DAPTOMYCIN | | 100% | |
| GENTAMICIN | 93% | | 100% |
| IMIPENEM | 100% | | 100% |
| LEVOFLOX | 81% | 64% | 100% |
| LINEZOLID | | 94% | |
| MEROPENEM | 100% | | 100% |
| NITROFURAN | 97% | 94% | 48% |
| PIPTAZO | 97% | | 98% |
| TETRACYCLIN | 77% | 22% | |
| TRIMETH/SU | 73% | | 94% |
| VANCOMYCIN | | 94% | |