

**NEW TESTS - Please update your EMR catalog with those appropriate to your practice**

New Test Effective : 11/03/2014							
Orderable Test Code	Test Name	Mnemonic	Category/Type	Result Code	Mnemonic	Result Name	Result Type
2024855	VAP CHOLESTEROL LIPID PANEL	VAP TEST	Group	2024755	XVAP RESLT	VAP TEST RESULT	Alpha w/ Footnote
<p>4mL(1.5mL) SERUM - Allow to Clot 30min in Up-Right position                      Stability:Ambient: Unacceptable; Refrigerated: 1 week; Frozen: 1 year                      Cpt: 83701; 84478                      Loinc: 53575-7</p>							

**MODIFICATION TESTS - Please update your EMR catalog with those appropriate to your practice**

Modify Test Effective : Immediately				
Orderable Test Code	Test Name	Mnemonic	Category/Type	New CPT Code
6001725	GROUP A STREP REFLEX CULTURE	C STRP FLX	Detail	CPT code 87081

Modify Test Effective : 8/11/2014				
Orderable Test Code	Test Name	Mnemonic	Category/Type	Specimen Requirement Change
9709208	HLA DQ2/DQ8 CELIAC	HLA CELIAC	Group	ACD Solution A specimens ONLY. WILL NOT accept ACD Solution B specimens

Modify Test Effective : 9/15/14										
Orderable Test Code	Test Name	Mnemonic	Category/Type	New Reference Range						
3601650	LEAD LEVEL WHOLE BLOOD	LEAD	Detail	<table border="1"> <tr> <td>0-18 yrs</td> <td>&lt; 5 mcg/dL</td> </tr> <tr> <td>&gt; 18 yrs</td> <td>&lt; 10 mcg/dL</td> </tr> <tr> <td>Alert level</td> <td>&gt; 10 mcg/dL</td> </tr> </table>	0-18 yrs	< 5 mcg/dL	> 18 yrs	< 10 mcg/dL	Alert level	> 10 mcg/dL
0-18 yrs	< 5 mcg/dL									
> 18 yrs	< 10 mcg/dL									
Alert level	> 10 mcg/dL									
<p>No Change in sepcimen collection                      3mL(0.5mL) Whole Blood EDTA (Royal Blue Top/Trace Element Free)                      0.5mL(0.2mL) Whole Blood EDTA (Lavender) Microtainer/Bullet                      Specimen Stability: Room temperature 5 days, Refrigerated 14 days</p>										

**INACTIVATED TESTS - Please update your EMR catalog with those appropriate to your practice**

INACTIVE TESTS Effective : Immediately - Please update your EMR catalog with those appropriate to your practice										
Test Code	Test Name	Mnemonic		Replacement Information						
6100150	PERTUSSIS AG BY FLUORESCENT AB	C PERT FA	Discontinued test	<table border="1"> <tr> <td>Test Code</td> <td>5568100</td> </tr> <tr> <td>Mnemonic</td> <td>BOR P PCR</td> </tr> <tr> <td>Test Name</td> <td>BORDETELLA PERTUSSIS/PARA PCR</td> </tr> </table>	Test Code	5568100	Mnemonic	BOR P PCR	Test Name	BORDETELLA PERTUSSIS/PARA PCR
Test Code	5568100									
Mnemonic	BOR P PCR									
Test Name	BORDETELLA PERTUSSIS/PARA PCR									

INACTIVE TESTS Effective : Immediately - Please update your EMR catalog with those appropriate to your practice										
Test Code	Test Name	Mnemonic		Replacement Information						
6001556	PERTUSSIS CULTURE	C PERTUS	Discontinued test	<table border="1"> <tr> <td>Test Code</td> <td>5568100</td> </tr> <tr> <td>Mnemonic</td> <td>BOR P PCR</td> </tr> <tr> <td>Test Name</td> <td>BORDETELLA PERTUSSIS/PARA PCR</td> </tr> </table>	Test Code	5568100	Mnemonic	BOR P PCR	Test Name	BORDETELLA PERTUSSIS/PARA PCR
Test Code	5568100									
Mnemonic	BOR P PCR									
Test Name	BORDETELLA PERTUSSIS/PARA PCR									

<b>INACTIVE TESTS Effective : Immediately - Please update your EMR catalog with those appropriate to your practice</b>											
Test Code	Test Name	Mnemonic			Replacement Information						
6001575	PERTUSSIS STAIN AND CULTURE	C PERTW/FA	<i>Discontinued test</i>		<table border="1"> <tr> <td>Test Code</td> <td>5568100</td> </tr> <tr> <td>Mnemonic</td> <td>BOR P PCR</td> </tr> <tr> <td>Test Name</td> <td>BORDETELLA PERTUSSIS/PARA PCR</td> </tr> </table>	Test Code	5568100	Mnemonic	BOR P PCR	Test Name	BORDETELLA PERTUSSIS/PARA PCR
Test Code	5568100										
Mnemonic	BOR P PCR										
Test Name	BORDETELLA PERTUSSIS/PARA PCR										
<b>INACTIVE TESTS Effective : Immediately - Please update your EMR catalog with those appropriate to your practice</b>											
Test Code	Test Name	Mnemonic			Replacement Information						
5551600	HYALURONIC ACID	HYALU ACID	<i>Discontinued test</i>		<table border="1"> <tr> <td>Test Code</td> <td>N/A</td> </tr> <tr> <td>Mnemonic</td> <td>N/A</td> </tr> </table>	Test Code	N/A	Mnemonic	N/A		
Test Code	N/A										
Mnemonic	N/A										
<b>INACTIVE TESTS Effective : 11/03/2014 - Please update your EMR catalog with those appropriate to your practice</b>											
Orderable Test Code	Test Name	Mnemonic	Category/Type		Replacement Information						
2024905	VAP CHOLESTEROL LIPID PANEL	VAP TEST	Group		<table border="1"> <tr> <td>Test Code</td> <td>2024855</td> </tr> <tr> <td>Mnemonic</td> <td>VAP TEST</td> </tr> <tr> <td>Test Name</td> <td>VAP CHOLESTEROL LIPID PANEL</td> </tr> </table>	Test Code	2024855	Mnemonic	VAP TEST	Test Name	VAP CHOLESTEROL LIPID PANEL
Test Code	2024855										
Mnemonic	VAP TEST										
Test Name	VAP CHOLESTEROL LIPID PANEL										
<i>See Replacement Test Code 2024855 in the New Test Section of this Live Wire.</i>											