

**Most tests will not be able to be shared, please collect multiple samples in collection container indicated**

**Sterile Orange top container:** (Gray top tub also acceptable)

Raw Stool specimens should be Kept Refrigerated and tested within 24-hours of collection.



**C ROTA SC [6100250] Rotavirus Screen**

- **Must be collected** without preservative

**C DIFF AN [17262993] Clostridium difficile Analyzer**

Toxin & GDH assay by EIA, will reflex to **C Diff Molecular** assay for indeterminate results.

Soft or Liquid Stool (Formed or Hard Specimens will be Rejected)

Stability is 5 days Refrigerated 2-8°C

\* **C DIFF MOL [6001200] Clostridium difficile Molecular** is available by request

**STOOL POLY [3501625] Stool for Polysegmented Neutrophils**

- Can be collected without preservative

**SODIUM FEC [3503100] Sodium, Feces**

- **Must be collected** without preservative

**POTAS FEC [3503125] Potassium, Feces**

- **Must be collected** without preservative



**Formalin and PVA container:** Add enough stool to fill container to indicator line, within 1 hour of collection. Stable at Room Temperature.

**C PARA SC [6060300] Parasite Screen - Stool (Giardia, Cryptosporidium)**

- **Must be collected** in these containers this tests for Giardia & Cryptosporidium

**STOOL POLY [3501625] Stool for Polysegmented Neutrophils**

- can be performed from formalin container



**ETM or Cary Blair container:** Add enough stool to fill container to indicator line, within 2 hours of collection and Kept Refrigerated.

**C STOOL RT [6001075] Stool Culture for Bacterial Pathogens**

- **Must be collected** in this container

**C DIFF AN [17262993] Clostridium difficile Analyzer**

Toxin & GDH assay by EIA, will reflex to **C Diff Molecular** assay for indeterminate results.

Soft or Liquid Stool (Formed or Hard Specimens will be Rejected)

Stability is 5 days Refrigerated 2-8°C

\* **C DIFF MOL [6001200] Clostridium difficile Molecular** is available by request

**SHIGA TX [3504650] Shiga Toxin types 1 and 2**

- **Must be collected** in this container

(Para-Pak C & S collection containers can also be used for these tests, however it is not provided through RML)