

MODIFICATION TESTS - Please update your EMR catalog with those appropriate to your practice

Modify Test Effective : 01/30/2017

Test Code	Test Name	Mnemonic	Category/Type	LOINC	Result Code	Mnemonic	Result Name	Reference Range UOM	Result Type
3660775	Hantavirus Antibody IgG and IgM	HANTA PULM	Group	35392-0	3661075	Hantavirus IgG	Hantavirus IgG Antibody	<2.00	Numeric titer
35393-8				3661080		Hantavirus IgM	Hantavirus IgM Antibody	<2.00	Numeric titer

CPT: 86790x2
Patient \$111.30
1 mL (0.25 mL) Serum Clot Activator SST (Red/Gray or Tiger Top) Refrigerated
Specimen Stability: Room temperature 5 days, Refrigerated 14 days, Frozen 30 days

Effective 01/30/2017 the performing laboratory will no longer be performing *Sin Nombre Virus (IgG/IgM) Confirmation* testing on positive titers from this assay.

There will be no other changes to this assay

INACTIVATED TESTS - Please update your EMR catalog with those appropriate to your practice

INACTIVE Effective : - Please update your EMR catalog with those appropriate to your practice

Test Code	Test Name	Mnemonic	Replacement Information		
3661085	Sin Nombre Virus IgG Confirmation, IBL	SIN NOMBRE IGG	Mnemonic	Test Code	Test Name
			n/a	n/a	There is no suggested replacement

This Reflex Confirmation is being discontinued at the performing lab.

INACTIVE Effective : - Please update your EMR catalog with those appropriate to your practice

Test Code	Test Name	Mnemonic	Replacement Information		
3661090	Sin Nombre Virus IgM Confirmation, ELISA	SINNOMBRE IGM	Mnemonic	Test Code	Test Name
			n/a	n/a	There is no suggested replacement

This Reflex Confirmation is being discontinued at the performing lab.